


# Panasonic

karre  
plus 55




More stylish, **more functional.**



# I N D E X

6

## Universal Dimmer



Compatible with LED & conventional lamps, easy installation with modular design...

## A&C Type

7

Efficient and easy charging without bulky adapters, ideal for every area of a living or working space.



8

## Programmable Digital Thermostat



Maximize your comfort with the customizable weekly program feature.

## Motion Detector

9

With a detection distance of up to 8 meters and a 180° viewing angle, the motion detector provides high comfort.






karre  
plus 55

**Panasonic**

The new Panasonic Karre Plus 55 will bring a brand new dimension to the elegance of your walls with its slim form, expanded rocker area, elegant and minimal lines.

*Electricity control right beside you*



**Different form and different functions together**

Combine freely and complement your needs at any time with flexible frame options.



Karre Plus 55 takes the energy performance of your home to the next level. Take a step today to make your life smarter.



-  60 different functions
-  Upgraded mechanism
-  Ease of installation

## Universal Dimmer

The Panasonic Universal Dimmer provides dimming capabilities for both conventional and new generation dimmable LED bulbs. Its modular form facilitates installation. Due to a neutral connection not being required, replacing it with electric switches is simple.

## A&C Type Earthed Socket with 2 USB

Karre Plus 55 offers efficient and easy charging of portable electronic devices from a regular outlet without bulky adapters or powered computers. Ideal for your office, bedroom, or to share in common areas with your loved ones.



- Central & Time-Delay Switch functions
- Features multi-point control with light switch
- Compatible with incandescent, halogen, and new generation dimmable LED lamps



Charging without the need for an extra power adapter.

## Programmable Digital Thermostat

### Effortless Climate Control

Experience unparalleled comfort and convenience with our state-of-the-art programmable digital thermostat. It does not only provide ease of use with, but also a decorative difference on your walls.



Cozy living room with the thermostat in view:  
"Home is where the comfort is."




Manage your comfort wisely!

## Motion Detector

With a detection distance of up to 8 meters and a 180° viewing angle, the motion detector provides high comfort. User-adjustable switch-on time from 10 seconds to 20 minutes and perfect ambient light detection (25-500 Lux) feature prevents unnecessary use of lighting. Thanks to the ability to connect secondary devices to the primary device, the number of device connections can be increased by using secondary products. Additionally, it can also be used as a staircase automatic switch.




8 Meters



Detection distance

180°




Angle of view



Adjustable switch-on time



Increased field of view with interconnection





## Which is your favorite color?

The brand new Karre Plus 55 is very stylish in every color.



White Beige Silver Bronze Dark Gray Black

### SoftTouch



Sea Shell Sandstone Turquoise Ocean Night

## PRODUCT CODES

C2 MECHANISM - QUICK CONNECTION

### SWITCH



One-way Switch  
10AX, 250V~



One-way Switch, Illum.  
10AX, 250V~



2-gang One-way Switch  
10AX, 250V~



2-gang One-way Switch, Illum.  
10AX, 250V~

<b>Mechanism</b>	WDTM01012NC	WDTM01022NC	WDTM01092NC	WDTM01102NC
<b>Cover</b>	WDTR00011 □□	*WDTR00561 □□ **WDTR00021 □□	WDTR00091 □□	*WDTR00581 □□ **WDTR00101 □□
<b>Mechanism + Cover</b>	WDTT01012 □□	WDTT01022 □□	WDTT01092 □□	WDTT01102 □□
<b>Complete</b>	WDTC01012 □□	WDTC01022 □□	WDTC01092 □□	WDTC01102 □□



Two-way Switch  
10AX, 250V



Two-way Switch, Illum.  
10AX, 250V~



Two-way Push Button  
10AX, 250V~



One-way Push Button  
10AX, 250V~

<b>Mechanism</b>	WDTM01032NC	WDTM01042NC	WDTM01262NC	WDTM01162NC
<b>Cover</b>	WDTR00031 □□	*WDTR00571 □□ **WDTR00041 □□	WDTR00031 □□	WDTR00161 □□
<b>Mechanism + Cover</b>	WDTT01032 □□	WDTT01042 □□	WDTT01262 □□	WDTT01162 □□
<b>Complete</b>	WDTC01032 □□	WDTC01042 □□	WDTC01262 □□	WDTC01162 □□



The last 2 characters in □□ of product numbers show the item color.

- White - WH
- Beige - BG
- Silver - SL
- Bronze - BR
- Dark Gray - DG
- Black - BL
- Sea Shell - EW
- Sandstone - EF
- Turquoise - EL
- Ocean - ED
- Night - EB

These products also has C1 Mechanism - Screw Connection models. Contact us for price list and different mechanism options.  
\*Cover with White Glass / \*\*Cover with Red Glass

### SWITCH

#### C2 MECHANISM - QUICK CONNECTION



One Way Push Button, Illum.  
10AX, 250V~



Push Button w Bell Symbol  
10AX, 250V~



Push Button w Label, Illum.  
10AX, 24V~



Push Button with Key Symbol  
10AX, 250V~

Mechanism	WDTM01172NC	WDTM01162NC	WDTM01202NC	WDTM01172NC
Cover	*WDR00591 □□ **WDR00171 □□	WDR00191 □□	WDR00201 □□	WDR00181 □□
Mechanism + Cover	WDTT01172 □□	WDTT01192 □□	WDTT01202 □□	WDTT01182 □□
Complete	WDC01172 □□	WDC01192 □□	WDC01202 □□	WDC01182 □□



Intermediate Switch  
10AX, 250V



Blind Control Switch  
10AX, 250V~



2-gang Two-way Switch  
10AX, 250V~



2-pole Switch  
10AX, 250V~

Mechanism	WDTM01052NC	WDTM01222NC ***WDTM01242NC	WDTM01112NC	WDTM01432NC
Cover	WDR00051 □□	WDR00221 □□	WDR00111 □□	WDR00011 □□
Mechanism + Cover	WDTT01052 □□	WDTT01222 □□	WDTT01112 □□	WDTT01432 □□
Complete	WDC01052 □□	WDC01222 □□	WDC01112 □□	WDC01432 □□

### SWITCH

#### C2 MECHANISM - QUICK CONNECTION



2-pole Switch, Illum.,  
10AX, 250V~



3-gang One-way Switch  
10AX, 250V~



Double One-way Push Button,  
10AX, 250V~



Blind Control Switch Single Button  
10AX, 250V~

Mechanism	WDTM01442NC	WDTM00152NC	WDTM01132NC	WDTM01232NC
Cover	WDR00561 □□	WDR00151 □□	WDR00091 □□	WDR00231 □□
Mechanism + Cover	WDTT01442 □□	WDTT00152 □□	WDTT01132 □□	WDTT01232 □□
Complete	WDC01442 □□	WDC00152 □□	WDC01132 □□	WDC01232 □□



The last 2 characters in □□ of product numbers show the item color.

- White - WH
- Beige - BG
- Silver - SL
- Bronze - BR
- Dark Gray - DG
- Black - BL
- Sea Shell - EW
- Sandstone - EF
- Turquoise - EL
- Ocean - ED
- Night - EB

These products also has C1 Mechanism - Screw Connection models. Contact us for price list and different mechanism options.

\*Cover with White Glass

\*\*Cover with Red Glass

\*\*\*This is the code of the mechanism equipped with a mechanical lock system. It incorporates a feature designed to prevent the concurrent activation of two buttons, ensuring operational integrity and security.

### SOCKET

#### C2 MECHANISM - QUICK CONNECTION



Socket 2P+E  
16A, 250V~



Socket 2P+E, Safety Shutter  
16A, 250V~



Socket 2P+E, Lid and  
Safety Shutter 16A, 250V~



Socket 2P+E, Lid and Safety  
Shutter with Label 16A, 250V~

<b>Mechanism + Cover</b>	*WDTT03022 □□	WDTT03122 □□	WDTT03102 □□	WDTT03202 □□
<b>Complete</b>	WDTC03022 □□	WDTC03122 □□	WDTC03102 □□	WDTC03202 □□



Socket 2P+E, French Type,  
Safety Shutter 16A, 250V~



USB Type A+C Earthed Socket  
5V-2.1A



2 Type-A USB Charging Socket  
5V 2A

<b>Mechanism</b>	-	-	WDTM02312NC
<b>Cover</b>	-	-	WDTR02311 □□
<b>Mechanism + Cover</b>	WDTT03132 □□	WDTT03312 □□	WDTT02312 □□
<b>Complete</b>	WDTC03132 □□	WDTC03312 □□	WDTC02312 □□

### SOCKET

#### C2 MECHANISM - SCREW CONNECTION



Double Socket 2P+E French Type,  
Safety Shutter  
16A, 250V~



Double Socket 2P+E  
16A, 250V~



Double Socket 2P+E, Safety Shutter  
16A, 250V~

<b>Mechanism + Cover</b>	WDTT02162 □□	WDTT02052 □□	WDTT02152 □□
<b>Complete</b>	WDTC02162 □□	WDTC02052 □□ **WDTC12052 □□	WDTC02152 □□ **WDTC12152 □□



Double Socket, 2P+E Cheque Type,  
Safety Shutter  
16A, 250V~

<b>Mechanism + Cover</b>	**WDTT03182 □□
<b>Complete</b>	WDTC03182 □□



The last 2 characters in □□ of product numbers show the item color.

- White - WH
- Beige - BG
- Silver - SL
- Bronze - BR
- Dark Gray - DG
- Black - BL
- Sea Shell - EW
- Sandstone - EF
- Turquoise - EL
- Ocean - ED
- Night - EB

These products also has C1 Mechanism - Screw Connection models. Contact us for price list and different mechanism options.


\*Red and green color options are available.

\*\*This is the code of the complete product without logo.



### TV-DATA

#### C2 MECHANISM



<b>Mechanism</b>	WDTM04582NC	WDTM04512NC	WDTM04602NC	WDTM04632NC	WDTM04652NC
<b>Cover</b>	WDTR04581 □□	WDTR04511 □□	WDTR04601 □□	WDTR04631 □□	WDTR04661 □□
<b>Mechanism + Cover</b>	WDTT04582 □□	WDTT04512 □□	WDTT04602 □□	WDTT04632 □□	WDTT04662 □□
<b>Complete</b>	WDTC04582 □□	WDTC04512 □□	WDTC04602 □□	WDTC04632 □□	WDTC04662 □□

### TV-DATA


#### C2 MECHANISM



<b>Mechanism</b>	WDTM04032NC	WDTM04062NC	WDTM04072NC	WDTM04122NC
<b>Cover</b>	WDTR04301 □□ WDTR04221 □□ (RUT)	WDTR04221 □□	WDTR04221 □□	WDTR04221 □□
<b>Mechanism + Cover</b>	WDTT04302 □□	WDTT04232 □□	WDTT04272 □□	WDTT04252 □□
<b>Complete</b>	WDTC04302 □□	WDTC04232 □□	WDTC04272 □□	WDTC04252 □□

#### C2 MECHANISM - SCREW CONNECTION

### DIMMER



<b>Mechanism</b>	WDTM04022NC	WDTM04042NC	WDTM04052NC	WDTM04082NC	WDTM04092NC
<b>Cover</b>	WDTR04291 □□ WDTR04201 □□ (RUT)	WDTR04201 □□	WDTR04201 □□	WDTR04221 □□	WDTR04221 □□
<b>Mechanism + Cover</b>	WDTT0429 □□	WDTT04212 □□	WDTT04262 □□	WDTT04242 □□	WDTT04282 □□
<b>Complete</b>	WDTC04292 □□	WDTC04212 □□	WDTC04262 □□	WDTC04242 □□	WDTC04282 □□



<b>Mechanism</b>	WDTM05295NC	WDTM05282NC	WDTM05252NC	WDTM05272NC	WDTM05202NC
<b>Cover</b>	WDTR05295 □□	WDTR05201 □□	WDTR05201 □□	WDTR05201 □□	WDTR05201 □□
<b>Mechanism + Cover</b>	WDTT05295 □□	WDTT05282 □□	WDTT05252 □□	WDTT05272 □□	WDTT05202 □□
<b>Complete</b>	WDTC05295 □□	WDTC05282 □□	WDTC05252 □□	WDTC05272 □□	WDTC05202 □□



The last 2 characters in □□ of product numbers show the item color.

- White - WH
- Beige - BG
- Silver - SL
- Bronze - BR
- Dark Gray - DG
- Black - BL
- Sea Shell - EW
- Sandstone - EF
- Turquoise - EL
- Ocean - ED
- Night - EB

- Universal dimmer is equipped with a red indicator light.  
- German type numeris telephone socket cover code is WDTR04151WH.

### MULTIMEDIA CONNECTORS

C2 MECHANISM



VGA Connector



VGA Connector with PCB



USB Connector



Fiber Optic Connector

<b>Mechanism</b>	WDTM04712NC	WDTM04732NC	WDTM04192NC	*WDTM04752NC
<b>Cover</b>	WDTR04711 □□	WDTR04711 □□	WDTR04191 □□	WDTR04751 □□
<b>Mechanism + Cover</b>	WDTT04712 □□	WDTT04732 □□	WDTT04192 □□	WDTT04754 □□
<b>Complete</b>	WDTC04712 □□	WDTC04732 □□	WDTC04192 □□	WDTC04754 □□



HDMI Connector



Audio Socket

<b>Mechanism</b>	WDTM04702NC	WDTM05602NC
<b>Cover</b>	WDTR04701 □□	WDTR05601 □□
<b>Mechanism + Cover</b>	WDTT04702 □□	WDTT05602 □□
<b>Complete</b>	WDTC04702 □□	WDTC05602 □□

### ELECTRONIC PRODUCTS

C2 MECHANISM - SCREW CONNECTION



Digital Under Floor Thermostat UF-E<sup>1</sup>



Digital Under Floor Thermostat UF<sup>2</sup>



Analog Room Thermostat (Heater)



Analog Room Thermostat (Heater-Cooler)

<b>Mechanism</b>	WDTM05475NC	WDTM05465NC	WDTM05415NC	WDTM05455NC
<b>Cover</b>	WDTR05575 □□	WDTR05575 □□	WDTR05415 □□	WDTR05455 □□
<b>Mechanism + Cover</b>	WDTT05475 □□	WDTT05465 □□	WDTT05415 □□	WDTT05455 □□
<b>Complete</b>	-	-	WDTC05412 □□	WDTC05452 □□



Digital Room Thermostat (Heater)



Digital Room Thermostat (Heater-Cooler)



Digital Blind Control Switch



Motion Detector

<b>Mechanism</b>	WDTM05415NC	WDTM05455NC	WDTM05425NC	WDTM05545NC
<b>Cover</b>	WDTR05425 □□	WDTR05445 □□	WDTR05435 □□ *WDTR05495 □□	WDTR05545 □□
<b>Mechanism + Cover</b>	WDTT05425 □□	WDTT05445 □□	WDTT05435 □□	WDTT05545 □□
<b>Complete</b>	WDTC05422 □□	WDTC05442 □□	WDTC05432 □□	WDTC05542 □□



The last 2 characters in □□ of product numbers show the item color.

- White - WH
- Beige - BG
- Silver - SL
- Bronze - BR
- Dark Gray - DG
- Black - BL
- Sea Shell - EW
- Sandstone - EF
- Turquoise - EL
- Ocean - ED
- Night - EB

\*The connector is of SC type.

<sup>1</sup> UF-E includes an External Input. / <sup>2</sup> UF includes a Dry Contact.  
\*This is the code of the cover module with daylight saving function.

### ACCESSORIES

#### C2 MECHANISM



Cable Outlet



Blank Cover

<b>Mechanism</b>	WDTM07022NC	WDTM07012NC
<b>Cover</b>	WDTR07021 □□	WDTR07011 □□
<b>Mechanism + Cover</b>	WDTT07022 □□	WDTT07012 □□
<b>Complete</b>	WDTC07022 □□	WDTC07012 □□



IP44 Socket  
2P Seal Kit

Surface Mounting Box,  
Single

Surface Mounting Box,  
Double

Surface Mounting Box,  
Double Socket

IP44 One-way/Two-way  
Switch Seal Kit

<b>Complete</b>	WDTC07114NC	WDTC07919 □□	WDTC07929 □□	WDTC07939 □□	WDTC07124NC
-----------------	-------------	--------------	--------------	--------------	-------------


### FRAME CODES

	SINGLE FRAME	2-GANG FLUSH MOUNTED FRAME	2-GANG FRAME		3-GANG FRAME		4-GANG FRAME		5-GANG FRAME	
			HORIZONTAL	VERTICAL	HORIZONTAL	VERTICAL	HORIZONTAL	VERTICAL	HORIZONTAL	VERTICAL
WHITE	WDTF08012WH	WDTF08092WH	WDTF08022WH	WDTF08122WH	WDTF08032WH	WDTF08132WH	WDTF08042WH	WDTF08142WH	WDTF08052WH	WDTF08152WH
BEIGE	WDTF08012BG	WDTF08092BG	WDTF08022BG	WDTF08122BG	WDTF08032BG	WDTF08132BG	WDTF08042BG	WDTF08142BG	WDTF08052BG	WDTF08152BG
SILVER	WDTF08012SL	WDTF08092SL	WDTF08022SL	WDTF08122SL	WDTF08032SL	WDTF08132SL	WDTF08042SL	WDTF08142SL	WDTF08052SL	WDTF08152SL
BRONZE	WDTF08012BR	WDTF08092BR	WDTF08022BR	WDTF08122BR	WDTF08032BR	WDTF08132BR	WDTF08042BR	WDTF08142BR	WDTF08052BR	WDTF08152BR
DARK GRAY	WDTF08012DG	WDTF08092DG	WDTF08022DG	WDTF08122DG	WDTF08032DG	WDTF08132DG	WDTF08042DG	WDTF08142DG	WDTF08052DG	WDTF08152DG
BLACK	WDTF08012BL	WDTF08092BL	WDTF08022BL	WDTF08122BL	WDTF08032BL	WDTF08132BL	WDTF08042BL	WDTF08142BL	WDTF08052BL	WDTF08152BL
NIGHT	WDTF08012EB	WDTF08092EB	WDTF08022EB	WDTF08122EB	WDTF08032EB	WDTF08132EB	WDTF08042EB	WDTF08142EB	WDTF08052EB	WDTF08152EB
SEA SHELL	WDTF08012EW	WDTF08092EW	WDTF08022EW	WDTF08122EW	WDTF08032EW	WDTF08132EW	WDTF08042EW	WDTF08142EW	WDTF08052EW	WDTF08152EW
SANDSTONE	WDTF08012EF	WDTF08092EF	WDTF08022EF	WDTF08122EF	WDTF08032EF	WDTF08132EF	WDTF08042EF	WDTF08142EF	WDTF08052EF	WDTF08152EF
TURQUOISE	WDTF08012EL	WDTF08092EL	WDTF08022EL	WDTF08122EL	WDTF08032EL	WDTF08132EL	WDTF08042EL	WDTF08142EL	WDTF08052EL	WDTF08152EL
OCEAN	WDTF08012ED	WDTF08092ED	WDTF08022ED	WDTF08122ED	WDTF08032ED	WDTF08132ED	WDTF08042ED	WDTF08142ED	WDTF08052ED	WDTF08152ED



The last 2 characters in □□ of product numbers show the item color.

- White - WH
- Beige - BG
- Silver - SL
- Bronze - BR
- Dark Gray - DG
- Black - BL
- Sea Shell - EW
- Sandstone - EF
- Turquoise - EL
- Ocean - ED
- Night - EB



# Innovated, User-Friendly C Mechanism

Renewed mechanism is designed for high-end security. The easy mounting feature offers a lot more than expected thanks to its structure and simplicity that covers wall incompatibilities.



High-voltage insulation test 2000V



40.000 times ON-OFF cycle



High temperature resistant up to 850 °C



## Flexible Mechanism Structure


The wall surface irregularities can be tolerated by new mechanism.

## Unenergized Mechanism

For extra security, the frame is prevented from being energized through the tabs during assembly.

## Tighter, Hidden Key Tabs

Hidden tabs prevent pricking and similar incidents.



## New System without Retainer

The assembly of the frame to the mechanism is easier with the tabs added to the base support and does not require a retainer.



## Wiring Diagram Information

Together with cable connections and circuit diagram, it provides information and routing to prevent complexity.



## Front Phase Control After Assembly

The possibility of checking the phase from the front using a test lamp without dismantling the product.

C1



Ease of installation without crushing or dispersing the cable with the screw cable mounting system.



C2



You can install quickly and easily with the quick connection mounting type!



Just pressing the button makes it simple to mount the cable to the mechanism.



**Panasonic Electric Works Elektrik San. ve Tic. A.Ş.**

Abdurrahmangazi Mah. Ebubekir Cad. No: 44 34887 Sancaktepe, İstanbul / Türkiye  
T: +90 (216) 564 55 55 F: +90 (216) 564 55 44 ewtr.panasonic.com info@tr.panasonic.com

**Panasonic**